

# MAKING MEMORIES



**The Bessacarr By Design Range** is at the very pinnacle of both design and construction, cleverly combining the innovative design and build technology of the Swift Group and the meticulous attention to detail and styling of Couplands Caravans. This synergy results in the very highest build quality, contemporary interiors and a stylish exterior.



***BESSACARR***  
BY SWIFT

BY DESIGN

Exclusive to Couplands Caravans

# EXCLUSIVE FEATURES



Below is a list of our exclusive features available as standard, some of which we have recently upgraded. Our 4G Wi-fi has been upgraded to 5G, 100w solar panel to 200w, the Pro Plus Towing Cover to the more substantial Pro Elite Towing Cover and an exclusive Aircon Unit. Find out more below.

## INTERIOR

- Unique embroidered doorway mat with logo
- Branded splashback and control panel
- Mirror on wardrobe doors (model specific)
- Kitchen and Washroom doors in Grau
- Unique Upholstery Scheme
- 5G Wi-fi System
- TV Bracket
- Branded Gin Glasses
- Branded Umbrella
- Sonas Room - New and Exclusive!

## EXTERIOR

- Truma Aventa Comfort Aircon Unit
- Tow Pro Elite Cover
- E and P Levelling System
- Unique graphic scheme
- 200w solar panel

# STANDARD SPECIFICATION

## EXTERIOR

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimension and safety regulations
- AL-KO galvanised steel chassis with Euro-axle
- EN1645 Grade 3 classification for heating and thermal insulation confirmed by cold chamber testing
- SMART construction with GRP body panels:
- Strong, moisture proof 'PURE' polyurethane timber-less framed bodyshell with polystyrene insulation core (25mm in sidewalls, 32mm in roof)
- Robust balanced panel side walls with GRP outer and inner skin
- 44mm 'sandwich' floor construction with GRP outer skin, ply upper and high rigidity Ravatherm core
- Hail resistant exterior GRP roof, fully bonded for extra strength and flatness
- Sweeping front panel in GRP with triple flush fitting opening windows and exclusive LED front marker lights
- Full height GRP rear panel
- Streamlined aerodynamic profile
- Contrasting grey GRP sidewall and stylish exterior graphics scheme
- Exclusive LED rear light clusters, LED high level marker and brake light which provide better visibility in poor weather
- LED side marker running lights
- LED awning light with key fob control
- Additional nearside awning light, offside LED awning light
- Surface mounted impact resistant skirt system
- Diamond alloy wheels
- Steel spare wheel on underslung carrier
- High tyre rating - a load margin is included in the tyre specifications
- High quality jockey wheel
- 13-pin Jaeger 12V car connector
- AL-KO Euro overrun device with gas assisted handbrake
- AL-KO carabiner breakaway cable
- Shock absorbers for a smoother towing experience
- Step-on hitch cover for easy cleaning of front windows
- Heavy duty corner steadies
- Rain guards
- Chrome effect two-part grab handles to front and rear



- Streamlined lightweight 2 x 100w solar panels
- 230V mains socket
- Exterior tv socket
- Truma mains waterline for connection to tap
- Truma cold water shower point with showerhead
- Aerial point in battery box for portable satellite dish connection
- BBQ point and connector
- Winter fridge vent covers
- Exterior access battery box with mains electric inlet (battery not included)
- Motor mover provision in battery box
- External service doors (access under nearside front bed and fixed beds)
- Extra wide access carbon effect gas locker door with single lever three-point locking
- Truma Duo comfort change over regulator and hoses suitable for use with either propane or butane bottles
- Fully double-glazed opening windows
- Screen printed windows with graphite grey tint
- Semi-recessed body colour awning rail on both sides
- Fixing bars for optional Thule rear mounted cycle rack
- Wide domestic-style flush fitting one-piece exterior door with magnetic stay, interior moulded liner, window with blind and bin
- Entrance step

- Luxury full width curtains to front windows complemented by fabric covered surrounds to side windows
- Twin curtain track for improved hanging and ease of use
- Sectioned removable carpets for flexibility
- Scatter cushions and two bolsters
- Seat and backrest ventilation boards
- Easy Accuride bed make up system on front beds with beech slat seat and bed bases with fully opening hinged tops for extra comfort and easy access
- Exclusive Duvalay Duvalite Apollo Lux mattress containing Freshtec – a market leading high spec foam offering maximum airflow for a cool, comfortable good night's sleep (fixed beds only)
- Rear double beds have lift up headrest
- Fixed beds with aluminium bed frames to maximise strength and storage space (model specific)
- Sumptuous full height, deep padded headboard to fixed beds
- Premium quality speakers in bedroom (model specific)
- Midi-Heki rooflight with flyscreen and adjustable concertina blind in lounge
- Electric Midi-Heki rooflight with flyscreen and adjustable concertina blind in bedroom
- Door flyscreen with easy concertina action
- Pleated blinds and flyscreens to all windows



### **LIVING, RELAXING & SLEEPING**

- 1.95m (6'5") headroom
- Sangallo Elm woodgrain with contemporary colouring and cream and pearl wift upper locker doors with stylish colour inlay which chrome and black accent strip.
- French Oak effect, high impact, scratch resistant floor lino
- Embroidered entrance mat
- Panoramic front sunroof with surround incorporating recessed lights and speakers

### **COOKING & EATING**

- Thetford thermostatic oven and grill with oven light, plus three-burner gas hob and one electric hot plate, all with electronic ignition. Hob features cast iron frets and a glass lid with auto gas shut-off functionality
- Ventilated Dometic flatbed microwave oven with digital controls
- Tall slimline dual hinged Dometic (Series 10) 177 litre electronic ignition fridge incorporating 12 litre removable freezer compartment, Salad Crisper lid
- Kitchen extractor hood
- Domestic style L shaped kitchen unit with improved storage featuring soft close drawers and doors with positive catches for secure storage
- Foldaway kitchen worktop extension
- Removable drainer and food grade nylon chopping board nestle together for easy storage in dedicated location
- Kitchen acrylic splashback
- Chrome effect swivel spout kitchen tap
- Washing up bowl

- Cutlery drawers on smooth-action steel runners (model specific)
- Chrome finish crockery rack
- Large freestanding table, suitable for full-size place settings
- Feature LED strip lighting under kitchen worktop

## WASHING

- Upgraded boutique style dedicated washroom incorporating illuminated shower console and durable shower tray.
- Shower bi-fold door retained on track for improved access (845)
- One piece 'Vellamo' shower cubicle with curved sliding door (835 & 850)
- Alde ladder towel radiator, towel rail, shaving mirror and tumblers
- Ecocamel Jetstorm shower head with on/off button for a powerful shower that uses less water
- Chrome effect swivel spout vanity tap
- Dedicated storage shelf in shower area of rear washroom (model specific)
- Thetford toilet with electric flush and 18 litre wheeled waste tank
- Omnivent in washroom and Midi heki (except 845)
- Shaving socket
- Illuminated washroom mirror
- Folding washroom ceiling mounted garment hanging rail (model specific)
- 32mm thick washroom doors with domestic style locks and handles
- Decorative inlay to washroom door (model specific)
- Light fitted to shower recessed
- Soap dish on 780, 845 and 860

## STORAGE

- Rear side luggage doors (850)
- Useful front chest featuring a soft close drawer with concealed drawer inside and convenient slide-out extending top
- Overhead locker doors with injection moulded spaceframe construction
- Positive overhead locker catches for secure storage on the move with chrome handles
- Upper front corner opening lockers for extra storage
- Soft close drawers and upper lockers throughout for smooth operation
- Lightweight, strong composite furniture construction

## HEATING & UTILITIES

- New Swift command control panel with separate DAB radio
- Simple controls for monitoring and managing:
  - Power - Battery selection, battery level meter and power usage
  - 230V AC load limiter (settable between 5 amps & 16 amps) - Solar panel charging levels (where fitted)
- Heating control of Alde heating systems
- Environment monitoring with internal and external temperature and internal humidity levels
- Selected lighting control with soft-start dimming
- Air-conditioning compatible with Dometic and Truma (dealer fit option, model dependent)
- Refrigeration control and monitoring via CI-bus connection
- Swift Command App with Bluetooth connectivity when with the vehicle, to manage and monitor key vehicle functions from your mobile device including power, heating and selected lighting
- Swift Command website, to control and monitor when away from



- your vehicle (subject to Wi-Fi or GSM network coverage)
- Includes the useful 'Places of Interest' feature including 'Campsites' from the Camping & Caravanning Club and Swift dealership locations
- View location history along with system information
- Add Thatcham category S7 tracking for £95 per year
- Alde radiator central heating and water heating with daily programming with LCD touchscreen control and choice of 1kW, 2kW or 3kW setting
- Digital programmable controller for heating and hot water
- Back up Alde water heater lead (to remember settings)
- Boiler mounted heating circulation pump with manual override to assist with system air bleeding
- Areas under beds and seats and washroom areas warmed by Alde perimeter radiators



- Alde underfloor heating
- Fixed bolsters either side of front chest with integrated rear heating vents
- Additional Alde sensor in bedroom
- Alde constant water
- 30 litre internal fresh water tank with additional external pump for filling or direct feed to taps in all models
- Addition of water tank gauge and filling function on Swift Command power supply unit
- High flow rate onboard pump with chrome effect taps for reliable, high performance water supply
- Onboard semi-rigid fresh water pipes
- Large bore underslung rigid waste pipes
- Isolation taps for gas appliances
- Fully protected mains electric system
- 25 metre mains hook-up cable
- 25 amp switchmode charger/transformer
- Wireless charging point in lounge
- Low energy LED lighting throughout interior including:
  - Over-locker lighting
  - Underlocker lighting within fascia moulding
  - Adjustable and dimmable under-locker spotlights with USB points

- Illuminated pelmets above side windows
- Upgraded Feature lighting to front 'A' pillars
- Downlights set in plinth over kitchen locker
- Low level night lights
- Light above wardrobe
- A minimum of four 230V sockets throughout (not including cooker and microwave) and two twin USB points, NEW USB points near fixed beds
- Chrome effect sockets and audio jack plug to radio speakers in sunroof surround and bedroom
- Chrome effect sockets and switches throughout
- Status 570 directional digital / analogue TV/FM aerial and booster
- Two TV stations with 230V, 12V and aerial sockets with NEW Co-Ax & satellite cables

### SAFETY & SECURITY

- Convenient one-key high security locks
- VIN CHIPTM identification system concealed within construction







- to deter theft and aid quick recovery
- CRiS identity number labels on windows and caravan chassis
- Swift Command Tracker, a Thatcham Category S7 approved proactive tracker pre-installed as part of Swift Command system (subject to annual subscription)
- Passive infra-red alarm system with tilt sensor and key fob operation
- AL-KO ATC trailer stability control
- AKS 3004 stabiliser
- AL-KO secure wheel locks
- Smoke alarm - Carbon monoxide alarm
- Adding Deadlock facility on entrance door for added security.

### CUSTOMER SERVICE

- Manufacturer backed 10-year bodyshell warranty

# BESSACARR SINGLE AXLE SPECIFICATIONS












	760	780
		
 		
Berths	4	4
Internal Length (at bed box height)	5.95m / 19'6"	5.95m / 19'6"
Overall Width#	2.45m / 8'0"	2.45m / 8'0"
Overall Height (inc. TV Aerial)#	2.61m / 8'7"	2.61m / 8'7"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"
Overall Length#	7.57m / 24'10"	7.57m / 24'10"
Awning A/A Dimension	10.08m / 33'10"	10.08m / 33'10"
Mass in Running Order (inc. tolerance)*	1716kg / 33.8cwt	1738kg / 34.2cwt
MTPLM (Lower Limit)*	1872kg / 36.8cwt	1894kg / 37.3cwt
MTPLM (Higher Limit)*	1900kg / 37.4cwt	1900kg / 37.4cwt
Total User Payload*	156kg / 3.1cwt	156kg / 3.1cwt
Personal Effects Payload*	156kg / 3.1cwt	156kg / 3.1cwt
Tyre Size	215/70 R15C 109	215/70 R15C 109
Thermal Insulation Grade	Three	Three
<b>BED SIZES</b>		
Front Double	194cm x 122cm / 6'4" x 4'0"	218cm x 126cm / 7'2" x 4'2"
Front Single (Nearside)		
Front Single (Offside)		
Rear Double	191cm x 143cm / 6'3" x 4'8"	191cm x 133cm / 6'3" x 4'4"

# BESSACARR TWIN AXLE SPECIFICATIONS



Image shows double axle model.

	835 	845 	850 	860 
				
Berths	4	4	4	4
Internal Length (at bed box height)	6.36m / 20'10"	6.36m / 20'10"	6.36m / 20'10"	6.36m / 20'10"
Overall Width#	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"	2.45m / 8'0"
Overall Height (inc. TV Aerial)#	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"	2.59m / 8'6"
Maximum Internal Headroom	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"	1.95m / 6'5"
Overall Length#	7.98m / 26'2"	7.98m / 26'2"	7.98m / 26'2"	7.98m / 26'2"
Awning A/A Dimension	10.49m / 34'5"	10.49m / 34'5"	10.49m / 34'5"	10.49m / 34'5"
Mass in Running Order (inc. tolerance)*	1919kg / 37.8cwt	1893kg / 37.3cwt	1909kg / 37.6cwt	1919kg / 37.8cwt
MTPLM (Higher Limit)*	2250kg / 44.3cwt	2250kg / 44.3cwt	2250kg / 44.3cwt	2250kg / 44.3cwt
Total User Payload*	331kg / 6.5cwt	357kg / 7.0cwt	341kg / 6.7cwt	331kg / 6.5cwt
Personal Effects Payload*	331kg / 6.5cwt	357kg / 7.0cwt	341kg / 6.7cwt	331kg / 6.5cwt
Tyre Size	185/65/ R15 92XL	185/65/ R15 92XL	185/65/ R15 92XL	185/65/ R15 92XL
Thermal Insulation Grade	Three	Three	Three	Three
<b>BED SIZES</b>				
Front Double	218cm x 126cm / 7'2" x 4'2"	218cm x 126cm / 7'2" x 4'2"	194cm x 122cm / 6'4" x 4'0"	194cm x 122cm / 6'4" x 4'0"
Front Single (Nearside)	153cm x 70cm / 5'0" x 2'4"	153cm x 70cm / 5'0" x 2'4"		
Front Single (Offside)	153cm x 70cm / 5'0" x 2'4"	153cm x 70cm / 5'0" x 2'4"		
Rear Double	191cm x 133cm / 6'3" x 4'4"	191cm x 133cm / 6'3" x 4'4"	191cm x 143cm / 6'3" x 4'8"	191cm x 143cm / 6'3" x 4'8"



**BESSACARR**  
BY SWIFT

# Couplands Caravans

Est. 1975



# Brayford Leisure

Est. 1977

## COUPLANDS CARAVANS

Tattershall Way, Northolme Road,  
Louth, Lincolnshire LN11 0YZ

**01507 603496**

**CouplandsCaravans.co.uk**

## BRAYFORD LEISURE CARAVAN CENTRE

Broad Acres, Moor Lane, Thorpe on the Hill,  
Lincoln LN6 9BW

**01522 686996**

**BrayfordLeisure.co.uk**

Recommended retail prices for 2024 models.

Prices include VAT at 20%. Effective from 1st September 2023.

Prices supersede all previous price lists. The Swift Group Limited (Swift) reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

Swift Command Tracker by Sargent annual subscription £95.

**AWNING SIZES:** Due to the varying awning designs and sizes, the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.

\* Estimated Weight. **WARNING:** Under no circumstances should the MTPLM be exceeded.

#The dimensions given are approximate due to slight variations, including suspension ride heights, loading conditions and tyre pressures. Customers should verify the actual dimensions of their touring caravan before committing to anything that could be impacted by these dimensions.

Bed Sizes: Please note that the front double bed sizes quoted are for seating configurations without chest of drawers. The front double bed width for a layout with a chest of drawers fitted will be reduced by 0.4m (1'4") from that stated.

The masses are calculated in accordance to EU regulation 1230/2012 and NCC code of practice 304.

The Mass in Running Order (MRO) comprises:

- the mass of the empty caravan as supplied by Swift including loose items such as the hook up cable, kit bag, entrance step, manuals etc. - 10kg allowance for LPG

The MRO is calculated with the fresh water tank, toilet flush tank and water heater empty. If you travel with water in the fresh water tank, toilet flush tank and the water heater the payload will reduce accordingly.

The personal effects is based on the number of berths and the length of the caravan and includes an allowance of 20kg for a leisure battery.

The Maximum Technical Laden Mass (MTPLM) is the maximum mass allowed when the caravan is fully laden. Please note: Any dealer fit options will reduce the overall payload available to the user of the caravan. If you require additional payload, it may be possible to upgrade the MTPLM to the upper limit.

LED Road Lights - certain vehicles may require a secondary fuse box when towing models fitted with LED road lighting.

This brochure does not constitute an offer and all props are for photographic purposes only and are not included in the specification.

Issued September 2023.